



OCOUIT-LESS 5-IN-1 Formaldehyde-Buster (Bamboo Charcoal Technology) Interior Emulsion Paint 立邦抗甲醛海味五合一(竹炭配方)內牆乳膠漆

## Odour-less 5-in-1

(Moisture-Proof)
Interior Emulsion Paint 立邦防潮淨味五合一內牆乳膠漆





Refresh your Life

### 抗霉菌 抗甲醛

# Nippon Paint Formaldehyde-Buster Odour-less 5-in-1

(Bamboo Charcoal Technology) Interior Emulsion Paint 立邦抗甲醛淨味五合一(竹炭配方)內牆乳膠漆



Nippon Paint Formaldehyde-Buster Odour-Less 5-In-1 (Bamboo Charcoal Technology) Interior Emulsion Paint is combining both "Odour-less" and "Formaldehyde Abatement" advanced technologies, it decreases a certain level of harmful formaldehyde in interior with five outstanding functions.

立邦抗甲醛淨味五合一內牆乳膠漆是「立邦淨味技術」和「分解甲醛」技術完美結合的全新產品。塗刷後將每日24小時不間斷的有效降低室內空氣中的甲醛 含量,然後轉化為安全的「水」分子。它還具有超級耐擦洗、特強遮蓋力、防水透氣、覆蓋細微裂紋、超強抗霉等五大功能。並獲得國家級最高研究所認證功效,效果顯著\*。

### Outstanding Features 產品特點


- Interior Formaldehyde Abatement 降低甲醛
- Odourless, Low VOC 淨味、低VOC
- Extirpated & Kill Fungus 殺滅霉菌、連根拔起
- 🥊 Super Water Resistance 超強透氣防水
- Cover Hairline Cracks 覆蓋細微裂紋
- Good Washability 超級耐擦洗
- Excellent Hiding Power 遮蓋力優異

### Theoretical Coverage 理論覆蓋值:

14 sq.m/litre/coat (30 microns DFT) 14平方米/升/層 (乾膜厚度: 30微米)

#### Drying Time (at 25-30°C)

- Touch Dry 觸乾時間: 1 hour 1小時
- Recoating 重塗間隔時間: At least 2-3 hours 最少2-3小時



\* According to Building and Engineering Materials standard: JC/T1074-2008, the test of Purificatory performance of coatings with air purification.

### 防潮透氣 高遮蓋力

# Nippon Paint Odour-less 5-in-1(Moisture-Proof)

Interior Emulsion Paint

立邦防潮淨味五合一內牆乳膠漆

duce the humidity from walls ons: excellent hiding power,

Nippon Paint Odour-less 5-in-1 (Moisture-Proof) Interior Emulsion Paint is using advanced moisture-proof technology to reduce the humidity from walls and against mold growth. It gives a very smooth finishing and easy to apply, also has 5 outstanding interior coating functions: excellent hiding power, anti-fungus, waterproof, washability and low VOC. Those are ideal for top quality wall decorative and particularly suitable for repainting use.

立邦防潮淨味五合一內牆乳膠漆採用了特别的防潮透氣技術,令漆膜暢快呼吸,能有效釋放牆身內部潮氣水氣,降低發霉機會。產品順滑易塗,同時結合五大功能:高遮蓋力、防霉、透氣防水、強效耐擦洗、低VOC,並與淨味環保性能的完美結合之下,一次解決多種牆身問題,是室內裝修新牆塗刷及重塗翻新的理想選擇。

#### Outstanding Features 產品特點


- Moisture-Proof 防潮透氣
- PExcellent Hiding Power 特強高遮蓋力
- Smoothness and Easy Application 順滑易塗
- Good Fungus Resistance 超級防霉
- Water Resistance 透氣防水
- Good Washability 強效耐擦洗
- Odour-less, Eco-friendly 淨味環保

#### Theoretical Coverage 理論覆蓋值:

13-14 sq.m/litre/coat (30 microns DFT) 13-14平方米/升/層 (乾膜厚度: 30微米)

#### Drying Time (at 25-30°C)

- Touch Dry 觸乾時間: 30 minutes 30分鐘
- Recoating 重塗間隔時間: At least 2 hours 最少2小時



This product passed the test from JIS and was recognized that can prevent paint film damage under cool and heat environment for a long time\*. It also can effectively against mold growth#, protect your family health by maintaining good indoor air quality.

產品通過JIS測試證實能長時間抵 禦冷熱空氣對漆膜的破壞\*及高效 防止滋生霉菌#,保持優質室內空 氣質素,令家人更健康。







### Colour your dream house 實現您想色彩

### Colour Creations Tinting Colours/電腦調色系列



### Standard Colours/標準色系列



All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit. For reference only. All colours are subject to the original paint colours.

本漆版是現代印刷技術所能印出最接近的原漆顏色,只作參考用途。一切顏色以原漆顏色為準。

It is also available in White colour.

產品另有白色可供選擇。

Dark colours are recommended the additional coats for best results. 深色顏色建議塗刷多遍,以達到滿意效果。

#### Tinting 調色

Represents Tinting Colours. Prices are different with Standard Colours. Please consult the retail shop for detailed quotation. 代表電腦調色,價格與標準顏色有異。詳情請向店舖查詢。





Formaldehyde-Buster Odour-less 5-in1 (Bamboo Charcoal Technology) Interior Emulsion Paint 立邦抗甲醛淨味五合一(竹炭配方) 內牆乳膠漆

Odour-less 5-in-1 (Moisture-Proof) Interior Emulsion Paint 立邦防潮淨味五合一內牆乳膠漆



"Nippon Paint i-Color Home Schemer" helps you preview any colour combinations in your home before you actually start painting. Refresh your home with Nippon Paint Colours now.

「立邦i-Color自家色彩設計師」能讓您預覽任何居室顏色組合,即登入立邦網站為您家居塗上 Nippon Paint 夢幻顏色。

## Nippon Paint Tinting Service 立邦配色服務

Nippon Paint aims to provide the most advanced technology for tinting service. Through the simple and convenient steps, the service facilitates the greatest flexibility for you to personalize your home with thousands of colour choices. All these can be right at your fingertip within just a few minutes!

立邦引進先進科技,利用電腦調校出逾千種顏色的『夢幻千色調色系列』。特快電腦配色, 過程只需數分鐘,心水顏色立即呈現眼前,實現您想家居!

Select the Product & Colour Code 選擇產品及顏色編號

Paint Calculation 計算塗料用量 Order the paint at Nippon Paint Colour Creations Centres, your paint will be ready within 5-10 minutes.
到立邦配色中心訂購,調色過程只需5-10分鐘,快捷方便。



### **Technical Information**

### 技術資料

### Surface Preparation 表面處理

- Remove any dust, grease and loose matter. Surface should be clean, dry & stable. 清除表面灰塵、油膩和鬆散泥灰,如果有孔隙及時修補,確保牆面清潔乾燥和平整。

### Recommended Application 施工方法

- 🥊 1 coat of Nippon Paint Odour-less Primer / Odour-less Color Sealer.

### Dilution 稀釋

- 無氣噴塗 -可加入不多於10%的清水稀釋。

Finish 光澤

**Paint Guide** 施工教學



### **Related Products**

配套產品

### Surface Preparation 牆面處理



Nippon Paint Odour-less Wall Putty 立邦淨味批牆灰

Smoothing uneven substrates 修補及填平凹凸牆面



Nippon Paint Odour-less Color Sealer 立邦淨味幻彩底漆

Sealing and adhesive powers 封閉底材及提供附著力



Selleys No More Gaps 犀利牌彈性填縫劑

Filling and sealing gaps



**Nippon Paint Anti-fungus Solution** 

立邦水性防霉劑

Killing mould and algae 除霉殺菌

#### Surface Protection 牆面保護



Nippon Paint Masker Tape 立邦和紙保護膜

Good covering effect and convenient 周全保護,整潔方便



Nippon Paint Adhesive Tape 立邦和紙膠帶

Good colour separation and no residual glue 分色整齊,不留殘膠



Tool 工具

Nippon Paint Premium All-in-One Paint Brush 立邦金裝全能油掃

Good absorption and smooth finishing 吸油量高,髹得細緻



Nippon Paint Classic Polyester Roller 立邦快塗寶經典油轆

High efficiency and even finish 塗刷速度快,均匀細膩

即享nClub非凡體驗





### **NIPPON PAINT (H.K.) CO., LTD.**

Tel: (852) 2699 9333 Fax: (852) 2602 8844 Email: np@nipponpaint.com.hk



